




 **Senoh**



CAAN SPOR ORGANİZASYONLARI VE SPOR  
MALZEMELERİ İTH. İHR. SAN. TİC. LTD. ŞTİ.

# Jimnastik Ürün Kataloğu

The **One** - It's Original Concept and Your **Only** One



---

## INDEX

---

- 2 Introduction
- 3 FIG Approved Floor
- 4 FIG Approved Pommel Horse
- 5 FIG Approved Rings
- 6 FIG Approved Vault
- 7 FIG Approved Parallel Bars
- 8 FIG Approved Horizontal Bar
- 9 FIG Approved Uneven Bars
- 10 FIG Approved Balance Beam
- 11-14 FIG Approved Landing Mat
- 15 Apparatus for Competition
- 16 Miscellaneous Items for Competition
- 17-21 Equipment for Training/Practice
- 22 Floor Apparatus & Transporter
- 23-24 Educational Model
- 25 Apparatus List for Competition
- 26 Rhythmic Gymnastics
- 27 Trampoline

---

# The Best Quality for Your Best Performance

Senoh's Gymnastics Expertise is cultivated from its history since 1948 and we are one of the long standing company approved by FIG.

From top competitions to school education, the products lineup with the highest standards can fulfill a wide range of requirements. Senoh is proud of providing customers with the best quality that is absolutely safe and has a long life.



1948




1979

FIG ART World Cup Series



2011



2011

FIG ART World Cup Series

# Apparatus for Competition



## AH043062 Official Spring Floor

FIG approved

Carpet face with Nylon tuft overlay, dividable into 3 and flatly interlocked by Velcro  
TH14mm, L14.6 x W4.0m x 1pc , L14.6 x W5.3m x 2pcs


Middle cushion of EVA foam made, with high durability  
TH40mm, L2.032 x W1.111m x 91pcs (Interlock type)

Under cushion of low density foal made, with high durability, flexibility, and soft touch  
TH20mm, L2.032 x W1.111m x 91pcs (Interlock type)

Intensified elastic spring panel  
TH128mm  
L2.4 x W1.2m x 50pcs, L2.4 x W1.0m x 18pcs, L2.2 x W1.0m x 4pcs



Senoh's  
Technology





### Elastic panel joint

Easy to joint each panel by simply insert the panel into joint fitting and drop the joint pin to make the temporary positioning.

### Fasten Mechanism

When panel positioning is set, tighten the fasten metal. Whole exercise area will be firmed with no play between panels.





**AF021262 Official Pommel Horse**

FIG approved

Fitted with special padding, covered with cowhide leather body

Detachable pommel of hygroscopic plastic made

Tension wire and turnbuckle lock

Height adjustable diagonal leg stand  
H1100-1400mm (Increments of 50mm)

Body L1600 x W350mm


128kg / unit

( Spare Parts )


AF020M41 : spare pommel (sold in pair)



AF020M41  
Pommel for Spare




Senoh's  
Technology



- Pommel is made in one molding
- Body provides the moderate elasticity by composition of wooden frame covered with sponge material and cowhide leather over-rolled.
- The height is adjusted in 50mm pitch with pin lock tighten by knob lock to prevent from any play.
- Attachments of anchor hook by chain with tension wire and turnbuckle lock provides even more stability of body.

# Apparatus for Competition



## AB032062 Official Ring Frame with Hook

FIG approved

Φ76.3mm special steel tube frame constructions

telescopic height adjustable 5650-5900mm  
(Increments of 50mm)

equipped with one pair of official rings

complete with rotating apparatus

φ 6mm vinyl covered tension wire ropes,  
tester & turnbuckle locks

Ring: 28mm laminated wood, plastic resin injected  
(internal Φ 185mm)

with 35mm width reinforced strap belt

Distance between two rotating apparatus: 500mm

98kg / unit

### ( Spare Parts )


AB030M20 : spare ring + belt + wire  
(sold in pair)

AB030M55 : tension wire (sold in pair)




AB030M20  
Ring + Belt + Wire for Spare

Senoh's  
Technology



■ Elastic beam and buffering rubber reduce the impact on player.

■ Elasticity can be fine adjusted by leveling bolt.





## AE041062 Official Vaulting Table

FIG approved

Fitted with special padding and uniformed cushion of elastic elements


covered with synthetic leather body

with tension wire and turnbuckle lock


Height Adjustment: H1100-1400mm  
(Increments of 50mm)

Body: L1200 x W950mm

108kg / unit



Senoh's  
Technology



- Body provides the moderate elasticity with cushion covered by Synthetic Leather.
- The height is adjusted in 50mm pitch by internal gear system and tighten by knob lock to prevent from any play.

# Apparatus for Competition



## AC016062 Official Parallel Bars

FIG approved

Heavy duty steel base construction

with double handle lock system

Height adjustable 1600-2000mm

Wooden laminated FRP bar

283kg / unit



### ( Spare Parts )


AC015002 : base adaptor (set of 4 )  
required if floor apparatus is not used

AC010M63 : spare bars (sold in pair)



AC015002 Base Adaptor





## AA052062 Official Horizontal Bar

FIG approved

Height adjustable 2600-2900mm  
(Increments of 50mm)

Bar with wire cord,  $\phi$  28mm Nickel chrome-molybdenum steel of L2400mm between pivots, X-ray inspected

End bar of free bounce universal pivot

Inner tube of Special steel, chromium plated

51kg / unit


### ( Spare Parts )

AA050M46 : spare tension wire  
(sold in pair)


AA050M55 : spare bar



AA050M55 Spare Bar




Senoh's  
Technology



- Special made bar just for Horizontal bar only.
- Bar is wired corded and made by Chrome-nickel molybdenum steel.
- Adapts a free motion pivot to disperse the bar's bouncing in 360 degree.

# Apparatus for Competition



## ADO12262 Official Uneven Bars

FIG approved

Heavy duty steel construction, complete with tension wire ropes

width adjuster, tension adjuster and turnbuckle lock

Height adjustable

2350-2600mm at upper bar , 1550-1800mm at lower bar

Wooden laminated FRP bar in L2400mm between free bounce universal pivots

125kg / unit

### ( Spare Parts )

ADO10P44 : Spare Bar

ADO10P25 : Spare Tension Wire (sold in pair)

ADO10P43 : Width Adjuster (sold in pair)

AD2000 : Width Measurer




ADO10P44 Spare Bar




ADO10P43 Width Adjuster



AD2000 Width Measurer



Senoh's  
Technology



■ FRP made bar with laminated wood cover to increase strength, elasticity, and absorbency, and also helps to prevent slipping from the bar.

■ Adapts a free motion pivot to disperse the bar's bouncing in 360 degree.



## AGO13162 Official Balance Beam

FIG approved



Height adjustable 700-1250mm (Increments of 50mm)

Beam L5000 x 100mm fitted with uniformed cushions in three layers under the synthetic leather cover and above the aluminum beam base with protection end cap


112kg / unit

( Spare Parts )

AGO10M90 : spare beam



Senoh's  
Technology



- 3 layers buffering mechanism. 2 different densities of cushions with a middle plate in between creates the comfortable buffering effect while maintaining the moderate hardness on surface.
- Middle plate is in one unit without any joint, provides the homogeneity in cushion at any place on beam.
- Aluminum beam is covered by a high quality synthetic leather with the end caps attached on both the end of beam.

## Apparatus for Competition



### AM5XXX Official Landing Mat

FIG approved

Meets all requirements of mats in terms of its Shock absorbency, flexibility, landing stability, safety, and durability

Unique multiplex structure composed with EVA forms and multi-density urethane forms in high quality



Covered by non-slip material with the top of mats having all in one sheet with no joints

Having more in detachment strength, tear strength, pulling strength, wear resistance, and the cold-resistant performance

Joints of over mats and under mats are not overlapped for high safety



### AM5060 Official Landing Mat for Horizontal Bars

7 over mat & 7 under mats





### AM5160 Official Landing Mat for Rings

1 over mat & 3 under mats



### AM5260 Official Landing Mat for Vault



4 over mat & 6 under mats



## Apparatus for Competition



AM5370 Official Landing Mat for Pommel Horse

2 over mats & 4 under mats





AM5480 Official Landing Mat for Parallel Bars

5 over mat & 12 under mats





AM5560 Official Landing Mat for Uneven Bars

5 over mat & 5 under mats



AM5660 Official Landing Mat for Balance Beam

9 over mat & 13 under mats



# Apparatus for Competition



## AM7XXXXX Official Landing Mat “EV”

FIG approved

Unique multiplex structure composed with EVA forms and multi-density urethane forms in high quality

Meets all requirements of mats in terms of its Shock absorbency, flexibility, landing stability, safety, and durability

Covered by non-slip material with the top of mats having all in one sheet with no joints

Having more in detachment strength, tear strength, pulling strength, wear resistance, and the cold-resistant performance

Senoh's  
Technology

### ■ What's good about EVA ?


Eco Friendly	Because EVA does not contain such chlorine as polyethylene does, EVA does not expose dioxin from burning it up.
High Elasticity	EVA is superior even in a low temperature. It is not tense at the cold temperature, and still maintains superior in elasticity.
Light weight	Specific gravity is small and is very light weight in comparison with vinyl chloride and the rubber.
Long durability	EVA is superior in the durability, and hard to deteriorate even in continue taking wind, rain, and ultraviolet rays.

### ■ Multiplex structure of Landing Mat “EV”

aTotal of 200mm with 6 layers

FORM	Density	Thickness
EVA	Moderate	20mm
Urethane	High	30mm
EVA	High	10mm
Urethane	Moderate	50mm
Urethane	Low	50mm
Urethane	Moderate	40mm


## AM7010 Official Landing Mat “EV” for Horizontal Bar



3000 x 2000 x TH200mm, 5pcs

3000 x 1000 x TH200mm, 2pc

## AM7110 Official Landing Mat “EV” for Rings




2000 x 3000 x TH200mm, 1pc

2000 x 1000 x TH200mm, 2pcs

## AM7310 Official Landing Mat "EV" for Pommel Horse

4000 x 2000 x TH100mm, 2pcs



## AM7410 Official Landing Mat "EV" for Parallel Bars


2000 x 3000 x TH200mm, 2pcs

2000 x 2000 x TH200mm, 2pcs

2000 x 1000 x TH200mm, 5pcs

700 x 2550 x TH200mm, 1pc


700 x 1225 x TH200mm, 2pcs



## AM7510 Official Landing Mat "EV" for Uneven Bars

3000 x 2000 x TH200mm, 4pcs

2000 x 2000 x TH200mm, 1pc



## AM7610 Official Landing Mat "EV" for Balance Beam


2000 x 5000 x TH200mm, 2pcs

2000 x 3000 x TH200mm, 3pcs

2000 x 2000 x TH200mm, 1pc

1000 x 2000 x TH200mm, 1pc

1000 x 1000 x TH200mm, 4pcs




## AM7210 Official Landing Mat "EV" for Vault

2500 x 2000 x TH200mm, 3pcs

1000 x 700 x TH200mm, 1pc

1000 x 500 x TH200mm, 1pc



## Apparatus for Competition



**AJ0700H Official Vaulting Board "Hard"**

FIG approved

H220 x L1200 x W600mm, 24kg

With 8 springs positions 3-3-2


Dot of dia. 8cm can be marked as per request

**AJ0700S Official Vaulting Board "Soft"**

FIG approved

H220 x L1200 x W600mm, 24kg

With 5 or 6 springs positions 2-1-2 or 3-1-2



**AM0700 Mat for Hands**

For vaulting board

W1000 x L1200 x T28mm, 2.2kg



**AT911582 Safety Collar**

For vaulting board protection

W1015 x L1200 x T210mm, 6kg




**AK012062 Runway**

W1000mm x L27.4m x TH18mm

16.5kg

Cushion below carpet face

Attached with Velcro tape



**AM060762 Supplementary Mat**

Additional landing mat for vaulting

W2000 x L6000 x T100mm, 55kg



**AM060XXX Supplementary Mat**

Additional landing mat for vaulting

AM060062 : W2 x L2m x TH100mm, 18kg

AM060162 : W2 x L2m x TH50mm, 12kg

AM060262 : W2 x L4m x TH100mm, 36kg



AS4210 Electric Scoreboard

Rotating double face display  
Body: H1900 x L890 x W580mm  
Display: H570 x L890 x W170mm  
Letter height: 120mm, 220mm  
LED 7 segment system  
Inlaid operation panel with auto-off function  
Chargeable battery or AC100V  
Voltage adjusted as per request  
85kg / unit



AS056062 Manual Scoreboard

Flap type  
H2075 x W960mm  
10kg / unit



AS0600 D. E. Scoreboard

Indicates D and E scores with deduction points  
Flap type  
H1700 x W780cm  
8kg / unit



AS1030 Judges Scoreboard


Book type  
H205 x L260mm  
1kg / unit

AS4000 Timer with Buzzer

For Floor Exercise  
H110x D200 x W300mm  
3kg / unit  
Power code 20m x 1  
AC 100V 15W  
Voltage adjusted as per request

AS4001 Timer with Buzzer

For Balance Beam  
H110x D200 x W300mm  
3kg / unit  
Power code 20m x 1  
AC 100V 15W  
Voltage adjusted as per request



AS155062 Vaulting Indicator

For vaulting men & women  
Flap type  
H1500 x W60mm



AT152262 Magnesia Stand

Bowl  $\phi$  440mm  
With Caster  
Caster base  $\phi$  650mm  
9.0kg / unit

AT9811 Magnesia

Powder type  
25kg per a bag

## Equipment for Training/Practice



### AH4XX062 Tambling Floor

W2400mm x L18m

Nylon twist carpet 1pc, Middle cushion 17pcs  
Under cushion 17pcs, Elastic panel 15pcs

AH430062: spring type

AH411062: sponge type



### AF2111 Training Round Horse

Φ650 x H800mm, 40kg

For Junior use

### AF210M05 Head with Pommel

Φ650mm, 7kg (without stand)

### AF2011 Training Round Horse

Φ970 x H800mm, 48kg

Detachable leg

### AF2103 Training Round Horse

Φ 500 x H50mm, set of 3pcs

Height adjustable  
(50, 100, 150mm)

1.6kg / set



### AE1300 Training Vaulting Table

Fitted with special padding and uniformed cushion of elastic

Height adjustable 1250 or 1350mm

L1200 x W950, 98kg

Detachable leg

### AJ9051 Poline Board

Spring board for vault practice

Frame: W1160 x L1500 x H380mm  
Bed: W600 x L900mm

Front height changeable  
(380, 410, 440mm)

With caster

### AK9010 Runway for Training

Elastic foam made

W1000 x T20mm x L25m, 75kg



AG000001 Beam Base

Wooden fitted type

AG000002 Beam Base

Laminated wooden elastic type



AG9350 Shock Absorption Mat

EVA foam covered with synthetic leather

W980 x L980 x TH12mm, 2.3kg

Multipurpose for balance beam, vault, parallel bars, and landing for hands



AG9100 Protection Beam Pad

EVA foam cored polyurethane covered with polyester

W110 x L1600 x TH20mm, 2.4kg



AT910782 Low Platform Beam Set

EVA foam cored polyethylene covered with tarpaulin


W500 x L4800 x TH100mm, 22kg



AG3100 Flat Training Beam

W100 x L5000 x TH17mm

Two foldable L2500m



AG920082 Training Beam Mat

Three layered polyethylene covered with tarpaulin

Sewed with W100 x L5000 mm beam top at the center

W500 x L5400 x TH30mm, 10kg



AT9105 Platform for Balance Beam

EVA foam cored polyethylene covered with tarpaulin

W600 x L1500 x H1040mm, 24kg /pc

Sold in pair



AT9106 Spotting Block

For balance beam (multi use)

Styrene foam with EVA and EVA urethane, covered with tarpaulin

W1230 x L1830 x H550mm, 32kg

## Equipment for Training/Practice



### AD910XXX Bar Pads for Parallel & Uneven Bars

AD910582 : L300mm	AD910882 : L1000mm
AD910682 : L500mm	AD910982 : L1200mm
AD910782 : L600mm	



### AT1012 Hand Standing Bars

Grip  $\Phi$ 36mm

W430 x H410 / 320mm (2 types of height)

7.2kg/pc

Sold in pair



### AT1020 Hand Standing Bars

Grip  $\Phi$ 36mm

W150 x L250 x H120mm

1.2kg/pc

Sold in pair



### AD910XXX Bar Pads for Parallel & Uneven Bars

Height adjustable 1800-2800mm  
(increments of 50mm)

$\Phi$ 28mm chrome molybdenum steel (non-heated treated steel) bar of L2450mm between pivots

End bar of single bounce pivot

Body with single tension wired system

Approved by Japan Gymnastics Association

### AB2103 Training Rings

Horizontal bar suspension device

Ring H450mm at H2800mm of horizontal bar

W500mm, 3.5kg /set

For hand stand and leveling position practice

Sold in pair



**AN905X82 Soft Mat 200**

Core: high density urethane  
Cover: polyester double knit

AN905082: W2 x L3m x TH200mm, 33kg

AN905182: W1.5 x L2m x TH200mm, 16.5kg

**AN905282 Soft Mat 300**

Shock absorption foam covered with polyester double knit

W2 x L3m x TH300mm, 46kg



**AM930X82 Soft Mat 90**

Tarpaulin cover

AM930082: W1.5 x L2m x TH90mm, 11.5kg

AM930182: W2 x L3m x TH90mm, 23kg

**AM920282 Landing Mat**

3 fold type

Tarpaulin cover

W2 x L4m x TH100mm, 45.6kg



**AT9100 Spotting Block**

Styrene foam with EVA, covered with tarpaulin

W600 x L1100 x H800mm, 12.5kg

**AT3200 Spotting Block**

Styrene foam with urethane, covered with vinyl leather

W700 x L1000 x H600mm, 12kg

## Equipment for Training/Practice



### AZ0400 Training Pit NGC System

Landing pit is composed with 3 layers of  
1) high shock absorption urethane foam blocks  
2) suspended web bed  
3) high density urethane foam cored mat



### CA4004 Pit Trampoline

Canvas bed: W3650 x L1800mm, mesh type  
Suspension: rubber cables  
Frame size: W4520 x L3000



### AN901082 Mat for Pit

12 layered foam  
W2 x L3m x TH120mm, 50kg  
Also usable as landing mat

### AN901082 Mat for Pit

Double knit cover  
W2 x L3m x TH600mm, 71kg



KA1541 / KA1641



KA5231

KD0241

## KXXXX Floor Apparatus

Aluminum alloy made

KA1541: for horizontal bar, rings, uneven bars

KA1641: for vault and pommel horse

KA5231: for parallel bars

KD0241: for low horizontal bar



AP011062 Transporter for Parallel Bars

10kg



AP022162

Transporter for Beam / Pommel Horse / Vault

sold in pair



AHO40006 Transporter for Floor Panels

W1625 x L2500 x H1646mm, 127kg

Spring panels: 5 carts

Sponge panels: 4 carts

Rhythmic panels: 2 carts



AP032062 Apparatus Storage Truck

Horizontal, Rings, Uneven are storable in 1 truck

With hook cap

W1050 x L1000 x H1310mm, 47kg

Color: blue



AP1020 Cart

W934 x L1500 x H850mm, 75kg

AP1120 Cart

W1240 x L2050 x H850mm, 150kg



AHO40005 Multi Transporter

W500 x L900 x H160mm

Sold in pair, 11kg /pc

## Educational Model



### AL103X Vaulting Box

8 stepped boxes with elastic padding covered with canvas

AL1030: W1060 x L1200 x H1350mm, 70kg

AL1031: W900 x L1000 x H1200mm, 60kg

AL1032: W800 x L800 x H1000mm, 44kg

### AL90000X Rubber Mat for Vaulting Box

Natural rubber made

AL900003: W1100 x L1300 x TH3mm, 6.4kg

AL900004: W1100 x L4000 x TH3mm, 21kg



### AT9600 Fitted Mat for Vaulting Box

Double layer polyurethane cored, covered by vinyl canvas

W2000 x L2000 x TH100mm, 30kg



### AJ0512 Double Flex Springboard

W600 x L1200 x H234mm, 23kg

Special elastic curved plywood, covered with non-slip turf carpet overlay



### AJ2330 Double Flex Springboard

W600 x L1200 x H175mm, 21kg

For junior high school education



### AJ9020 Educational Springboard

W550 x L1000 x H200mm, 16.5kg

For elementary school education



### AJ9010 Educational Springboard

W600 x L650 x H130mm, 8kg

For kids use



### AA200SXX Low Horizontal Bar

Upright:  $\Phi 60.5\text{mm}$ , 10kg

Bar:  $\Phi 28\text{mm}$  (cold finished steel), 11.5kg

W2000 x H1000-1500mm

Under floor 250mm



### ANO13X Soft Mat

Urethane foam cored, covered with tetrone canvas

With air vents and handles at side

ANO130 : 2 x 3m, TH200mm, 34kg

ANO131 : 2 x 3m, TH300mm, 45kg

ANO132 : 2 x 3m, TH400mm, 54kg



### AM22XX Senoh Mat White

Molded synthetic sponge mat

AM2200: W1.2 x L3m x TH60mm, 21.6kg

AM2201: W1.2 x L6m x TH60mm, 43.2kg

AM2202: W1.5 x L3m x TH60mm, 27kg

AM2203: W1.5 x L6m x TH60mm, 54kg



### AM12XX Senoh Mat Green

Molded synthetic sponge mat

AM1200: W1.2 x L3m x TH60mm, 19.2kg

AM1201: W1.2 x L6m x TH60mm, 38.4kg

AM1202: W1.5 x L3m x TH60mm, 24kg

AM1203: W1.5 x L6m x TH60mm, 48kg



### AM91XX Landing Mat


Polyester canvas cover, reversible

EVA foam and high density urethane

AM9100: W2 X L3m x TH70mm, 22kg

AM9101: W1.5 X L2m x TH70mm, 11kg

# Apparatus List for Competition




Item Code	Item	Page	QTY
AH043062	Floor	P.3	2
AF021262	Pommel Horse	P.4	1
AM5370/AM730062	Landing Mat for Pommel Horse	P.12/14	1
AB0320	Rings	P.5	1
AM5160/AM710062	Landing Mat for Rings	P.11/13	1
AE041062	Vault	P.6	2
AM5260/AM720062	Landing Mat for Vault	P.11/14	2
AM060762	Supplementary Mat for Vault	P.15	2
AJ0700	Vaulting Board	P.15	4
AK012062	Runway for Vault	P.15	2
AT911582	Rondat Mat	P.15	2
AM0700	Mat for Hands	P.15	2
AC016062	Parallel Bars	P.7	1
AM5480/AM740062	Landing Mat for Parallel Bars	P.12/14	1
AJ0700	Vaulting Board	P.15	1
AA0520	Horizontal Bar	P.8	1
AM5060/AM700062	Landing Mat for Horizontal Bar	P.11/13	1
AM060262	Supplementary Mat	P.16	1
AD012262	Uneven Bars	P.9	1
AM5560/AM750062	Landing Mat for Uneven Bar	P.12/14	1
AM060262	Supplementary Mat	P.15	1
AJ0700	Vaulting Board	P.15	1
AG013162	Balance Beam	P.10	1
AM5660/AM730062	Landing Mat for Balance Beam	P.12/14	1
AM060262	Supplementary Mat	P.15	1
AJ0700	Vaulting Board	P.15	1

Item Code	Item	Page	QTY
AS4210	Scoreboard	A	10
AS056062	Scoreboard	A	10
AS0600	Scoreboard	A	10
AS155062	Vaulting Indicator	B	2
AS4000	Timer with Buzzer for Floor	C	2
AS4001	Timer with Buzzer for Balance Beam	C	1
AT152262	Magnesia Stand	P.16	10

Height from floor		
	Pommel Horse	1150mm
	Rings	2800mm
men	Vault	1350mm
	Parallel Bars	2000mm
	Horizontal Bar	2800mm
	Uneven Bars	1700mm, 2500mm
women	Balance Beam	1250mm
	Vault	1250mm



## AH0605 Official Rhythmic Gymnastics Floor

FIG approved

Carpet face with nylon tuft overlay  
 4000 x 14500 x TH8mm, 2pcs  
 3250 x 14500 x TH8mm, 2pcs

EVA foam under cushion  
 2000 x 14000 x TH5mm, 7 rolls

Intensified elastic sponge panel  
 2334 x 1167 x TH42mm, 72pcs



## AH9511 Rhythmic Gymnastics Training Floor

W3 x L13m x TH18mm, 105kg

Tuft carpet: W3 x L13m x TH8mm, 1pc

Under cushion  
 W1 x L13m x TH10mm, 1pc  
 W2 x L13m x TH10mm, 1pc


## AH9521 Rhythmic Gymnastics Training Floor

W1.5 x L13m x TH18mm, 53kg

Turf carpet: W1.5 x L13m x TH8mm, 1pc

Under cushion: W1.5 x L13m x TH10mm, 1pc

# Trampoline



## CA2011 Regulation Trampoline

Mesh bed: 3650 x 1800mm

Suspension: rubber cables 100pcs

Frame size: W2760 x L4640 x H1000mm

Folding size: W810 x L2970 x H1985mm

184kg

## CA2111 Regulation Trampoline

CA2011 with supplemental frame

Frame size: W3010 x L4640 x H1000mm

216kg



## CA6011 Little Giant Trampoline

For educational use

Mesh bed: 2900 x 1470mm

Suspension: rubber cables 78pcs

Frame size: W2190 x L3640 x H860mm

Folding size: W810 x L2400 x H1690mm

125kg



## CB1000 Sportsman Trampoline

Use for small children

Canvas bed: 1700x 1125mm

Suspension: rubber cables

Frame size: W1700 x L2140 x H600mm

With cart

54kg



## CRO100 Soft Trampoline

Use for small children and the challenged persons

Mesh bed: 2900 x 1470mm

Suspension: rubber cables 78pcs

Frame size: W2220x L3660 x H600mm

Folding size: W1020 x L2500 x H1320mm

124kg

User's weight limit: 120kg



## ATO630 Mini Trampoline

Canvas bed: 650 x 710mm

Suspension: rubber cables

Frame size: W1140 x L1140

Angle adjust 3" or 10"

25kg



## CE1110 Spotter Mat

2 layer urethane padding covered with teflon canvas

W1000 x L1700 x H120mm



CAAN SPOR ORGANİZASYONLARI VE SPOR  
MALZEMELERİ İTH. İHR. SAN. TİC. LTD. ŞTİ.

Fenerbahçe Mh. Bağdat Cd. No:78/6 34726 İstanbul - TÜRKİYE  
+90 216 4502989 [www.senoh.com.tr](http://www.senoh.com.tr) [info@senoh.com.tr](mailto:info@senoh.com.tr)

---